

## EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	235	data with corrupt\$3 with print \$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/27 08:34
S2	76	data with corrupt\$3 with (memor\$3 read\$3) same print \$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/27 08:35
S3	182	S1 and (@rlad<"20021219" or @ad<"20021219")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/27 08:35
S4	63	S2 and (@rlad<"20021219" or @ad<"20021219")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/27 08:36
S5	3	S3 and pdf	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/27 08:47
S6	55	data with corrupt\$3 with print \$3 same (read\$3 writ\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/27 08:54
S7	45	S6 and (@rlad<"20021219" or @ad<"20021219")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/27 08:54
S8	4674	data with corrupt\$3 with (read\$3 writ\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/27 09:10

S9	60	data with corrupt\$3 with (read\$3 writ\$3) same print\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/27 09:11
S10	48	S9 and (@rlad<"20021219" or @ad<"20021219")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/27 09:11
S11	55	data with corrupt\$3 with print \$3 same (read\$3 writ\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/27 09:11
S12	45	S11 and (@rlad<"20021219" or @ad<"20021219")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/27 09:11
S13	9	S10 and (not S12)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/27 09:11
S14	5	data with corrupt\$3 with (read\$3 writ\$3) and print\$3 with page with file	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/27 09:15
S15	262	data with corrupt\$3 with (read\$3 writ\$3) and (print\$3 output\$4) with page	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/27 09:37
S16	160	S15 and (@rlad<"20021219" or @ad<"20021219")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/27 09:38
S17	2	"20010043723"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/27 10:38

S18	235	data with corrupt\$3 with print\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/27 10:56
S19	1	S18 and blank near3 page	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/27 10:56
S20	1333	print\$3 with (blank near3 page)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/27 10:58
S21	49	print\$3 with (blank near3 page) same (error defect corrupt\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/27 10:59
S22	31	S21 and (@riad<"20021219" or @ad<"20021219")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/27 10:59
S23	414	(user operator) with (determin\$5 decid\$3 select \$3 choos\$3) with print\$3 with (file page data) with (error defect fail\$3 corrupt \$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/27 12:02
S24	220	S23 and (@riad<"20021219" or @ad<"20021219")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/27 12:03
S25	5	"6201610"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/27 12:36
S26	3	"6201610".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/27 12:36

S27	2180	358/1.14.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/27 14:38
S28	235	data with corrupt\$3 with print \$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/27 14:38
S29	19	S27 and S28	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/27 14:38
S30	4674	data with corrupt\$3 with (read\$3 writ\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/27 14:41
S31	2	S27 and S30 and (@rlad< "20021219" or @ad< "20021219")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/27 14:41
S32	10866	358/1.15.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/27 14:41
S33	29	S32 and S28	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/27 14:41
S34	4	S30 and S32	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/27 14:41
S35	13	((TATSUO) near2 (KAMEI)). INV.	US-PGPUB; USPAT; USOCR	OR	ON	2008/08/27 14:43

S36	2	"5511156".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/27 14:58
S37	5	"6201610".pn. "20010043723"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/27 15:02
S38	7	"6101243".pn. "20040012806" "20020015171"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/27 15:04
S39	2	"20060153615"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/03 11:54
S40	8	(re-extract\$3 re-transfer\$3 re-generat\$3 regenerat\$3 resend\$3 resent) with (part area portion) with print\$3 with (data information) with error	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/03 14:01
S41	2	"5592683".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/03 14:12
S42	16	(re-extract\$3 re-transfer\$3 re-generat\$3 regenerat\$3 resend\$3 resent) with (part area portion) with print\$3 with error	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/03 14:53
S43	0	(extract\$3 transfer\$3 generat \$3 regenerat\$3 resend\$3 resent) with (small\$3 near3 (part area portion) near3 page) with print\$3 with error	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/03 15:21
S44	0	(extract\$3 transfer\$3 generat \$3 send\$3 sent read writ\$3) with (small\$3 near3 (part area portion) near3 page) with print\$3 with error	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/03 15:22

S45	8	(extract\$3 transfer\$3 generat\$3 send\$3 sent read writ\$3) with (small\$3 near\$3 page) with print\$3 with error	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/03 15:22
S46	123	(extract\$3 transfer\$3 generat\$3 send\$3 sent read writ\$3) with ((part portion section) near\$3 page) with print\$3 with error	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/03 15:24
S47	55	S46 and (@ad<"20021219" @rlad<"20021219")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/03 15:26
S48	17	(re-extract\$3 re-transfer\$3 re-generat\$3 regenerate\$3 resend\$3 resent extract\$3 transfer\$3 generat\$3 writ\$3 read\$3) with (small\$3 near\$3 (part area portion)) with print\$3 with error	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/03 15:41
S49	18	(re-extract\$3 re-transfer\$3 re-generat\$3 regenerate\$3 resend\$3 resent extract\$3 transfer\$3 generat\$3 writ\$3 read\$3) with ((part area portion)) with print\$3 with error with recover\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/03 15:43
S50	14	S49 and (@ad<"20021219" @rlad<"20021219")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/03 15:44
S51	6	(part area portion) with error with page with print\$3 with extract\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/03 16:55
S52	3	(part area portion) with error with page with print\$3 with resend	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/03 16:57

S53	0	(part area portion) with error with ((less small\$2)) near3 page with print\$3 with (re-extract\$3 re-transfer\$3 re-generat\$3 regenerat\$3 resend\$3 resent read\$3 writ\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/03 16:59
S54	4	(part area portion) with error with ((less small\$2)) near3 page with print\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/03 17:00
S55	22	(part area portion) with error with page with print\$3 with (resend\$3 resent re-print\$3 reprint\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/03 17:02
S56	690	(part area portion) with error with page with print\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/03 17:20
S57	166	S56 and (@ad<"20021219" @riad<"20021219")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/03 17:21
S58	2	extract\$3 with error near3 (portion part area) with print\$3 with stor\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/03 17:25
S59	0	generat\$3 with file with error near3 (portion part area) with print\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/03 17:26
S60	5	generat\$3 with file with error with (portion part area) with print\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/03 17:26

S61	2	(extract\$3 transfer\$3 generat \$3 send\$3 sent read writ\$3) with ((part portion section) with page) with print\$3 with error with divid\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/03 17:32
S62	0	extract\$3 with (error near3 (part portion area)) with page with print\$3 with (saving stor\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/03 17:37
S63	13	(error near3 (part portion area)) with page with print\$3 with (saving stor\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/03 17:38

3/ 4/ 2009 3:03:10 PM

C:\Documents and Settings\fzhang\My Documents\EAST\Workspaces\10528149-2.wsp